

Product Information

Mod.R&S 06 | Rev.4 | Update 08/2019 | Page 1



JETFLOCK SOLVENT

Description Polyester flock material with paper backing, created for inkjet digital printing & cutting systems with solvent and eco solvent based inks. It features high covering power, brilliant color reproduction and easy workability.

> Suitable for cotton, polyester, performance wear, poly/cotton blends and spandex (not suited for treated and sublimated textiles).

- Usage Print and cut the material
 - · Let the print dry at least 2 hours before rolling, overlaying orheat transferring the material
 - · Weed the exceeding material
 - · Remove the print by hand (in case of lettering use a suitable application
 - · Place the material on the garment
 - Cover with silicon treated paper or Teflon® (or application tape)
 - · Heat apply at the conditions shown on the right
 - · Remove the carrier cold

Washing Wait at least 24 hours from application before washing.

Washing resistance up to 60°C, best inside-out.

Do not use bleach or other aggressive chemical agents.

Not suitable for dry cleaning.

Suitable for tumble dry, syntetic fibers cycle.

The product is REACH compliant



Suggested cutting settings

Blade: 45° Pressure: 120 gf Speed: 20 cm/sec

Transfer settings



15 seconds at 180°C

(356°F) media (3-4 bar)

Washing temperature



Dry cleaning



Tumble dryer



N.B. All information here contained are based on our experience. We recommend to perform a test before starting standard production. For best results we suggest to store the product away from sunlight and dust, in vertical position and at temperatures between 18°C and 26°C



ISO 9001:2015 ISO 14001:2015



The product meets the Italian and EU regulations relating to its proper use, and to the (EU) regulation n. 1907/2006/EU REACH (Registration, Evaluation, Authorization and Restriction of Chemical substance).

This document can be subject to variations. Updated versions are available on our website www.siser.com

For further information, please contact our Sales Office.













